CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245 Version 3.0 Revision Date 2018/11/30 Print Date 2018/11/30 **SECTION 1. IDENTIFICATION** : CIVITAS TURF DEFENSE TM/MC Pre-M1xed Product name Product code : CVTAS1, CVTAS1C5U Manufacturer or supplier's details Intelligro ™ 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada **Emergency telephone number** Emergency telephone number : Petro-Canada Lubricants Inc.: 1-844-388-2665; CHEMTREC Transport Emergency: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).

Recommended use of the chemical and restrictions on use				
Recommended use	ecommended use : Fungicide and Insecticide for turf on golf courses, spor athletic fields, EPA Registration Number: 69526-17			
Prepared by	:	Product Safety: +1 905-491-0565		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	green
Odour	No odour or slight petroleum oil like.

GHS classification in accordance with 29 CFR 1910.1200

Aspiration hazard : Category 1

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

GHS label elements

Hazard pictograms



Signal word

:

CIVITAS TURF DEFENSE TM/MC Pre-M1xed

000003000245

ersion 3.0	Revision Date 2018/11/30	Print Date 2018/11/30
Hazard statements	: May be fatal if swallowed and ent	ers airways.
Precautionary statements	 Response: IF SWALLOWED: Immediately can Do NOT induce vomiting. Storage: Store locked up. Disposal: Dispose of contents/ container to plant. 	
Potential Health Effects		
Primary Routes of Entry	: Eye contact Ingestion Inhalation Skin contact	
Aggravated Medical Condi- tion	: None known.	
Other hazards None known.		
IARC	No component of this product presened equal to 0.1% is identified as probab human carcinogen by IARC.	
OSHA	No component of this product presened as a carci gen by OSHA.	
NTP	No component of this product presened as a know by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	70 - 90
Poly(oxy-1,2-ethanediyl), .alpha methylomega[3-[1,3,3,3- tetramethyl-1- [(trimethylsi- lyl)oxy]disiloxanyl]propoxy]-	27306-78-1	1 - 5
Dodecan-1-ol, ethoxylated	9002-92-0	1 - 5

SECTION 4. FIRST AID MEASURES

If inhaled

: Move to fresh air.

CIVITAS TURF DEFENSE TM/MC Pre-M1xed

000003000245

Version 3.0		Revision Date 2018/11/30	Print Date 2018/11/30
		Artificial respiration and/or oxygen m Seek medical advice.	ay be necessary.
In case of skin contact	:	In case of contact, immediately flush for at least 15 minutes while removin and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse. Seek medical advice.	g contaminated clothing
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of wate for at least 15 minutes. Obtain medical attention.	er, also under the eyelids,
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless dire cian or poison control center. Never give anything by mouth to an u Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), silicon ox- ides (SiOx), formaldehyde, halogenated compounds, metal oxides, smoke and irritating vapours as products of incom- plete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for firefighters	:	Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment.
tive equipment and emer-		Ensure adequate ventilation.
gency procedures		Evacuate personnel to safe areas.
		Material can create slippery conditions.
		Mark the contaminated area with signs and prevent access to

CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0		Revision Date 2018/11/30	Print Date 2018/11/30
		unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.	
Environmental precautions	:	Do not allow uncontrolled discharge o ronment.	f product into the envi-
Methods and materials for : containment and cleaning up		Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light. Protect from freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0

Personal protective equipment Respiratory protection Use respiratory protection unless adequate local exhaust : ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. organic vapour filter Filter type : Hand protection Material neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R). : Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Eye protection Wear face-shield and protective suit for abnormal processing : problems. Skin and body protection Choose body protection in relation to its type, to the concen-• tration and amount of dangerous substances, and to the specific work-place. Protective measures Wash contaminated clothing before re-use. : No special protective equipment required. Hygiene measures : Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	green
Odour	:	No odour or slight petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 93.3 °C (199.9 °F) Method: open cup

CIVITAS TURF DEFENSE TM/MC Pre-M1xed

000003000245

Version 3.0		Revision Date 2018/11/30	Print Date 2018/11/30
Fire Point	:	No data available	
Evaporation rate	:	No data available	
Auto-ignition temperature	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.86 kg/l (15 °C / 59 °F)	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	No data available	
Explosive properties	:	Do not pressurise, cut, weld, braze, so pose containers to heat or sources of i	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, NOx, halogenated compounds, metal ox- ides, smoke and irritating vapours when heated to decomposi- tion.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

CIVITAS TURF DEFENSE TM/MC Pre-M1xed

000003000245

00000210			
sion 3.0		Revision Date 2018/11/30	Print Date 2018/11/3
Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	Remarks: No data available	
Acute dermal toxicity	:	LD50 (Rat): > 5,050 mg/kg,	
Components:			
White mineral oil (petroleur	n):		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Poly(oxy-1,2-ethanediyl), .a	lpha	amethylomega[3-[1,3,3,3-tetr	amethyl-1-
[(trimethylsilyl)oxy]disiloxa	inyl]	propoxy]-:	
Acute oral toxicity	:	LD50 (Rat): 4,920 mg/kg,	
Dodecan-1-ol, ethoxylated:			
Acute oral toxicity	:	LD50 (Rat): 8,600 mg/kg,	
		LD50 (Mouse): 3,500 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye irr	ritati	ion	
Product:			
Remarks	:	No data available	
Respiratory or skin sensitis	satio	on	
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
Reproductive toxicity No data available			

CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0

Revision Date 2018/11/30

Print Date 2018/11/30

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Product:</u> Toxicity to fish		Remarks: No data available			
Toxicity to daphnia and other	·				
aquatic invertebrates	•				
Toxicity to algae	:	Remarks: No data available			
Toxicity to microorganisms	:	Remarks: No data available			
Persistence and degradability					
Product:					
Biodegradability	:	Remarks: No data available			
Bioaccumulative potential					
No data available					
Mobility in soil					
No data available					
Other adverse effects					

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

•	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of as hazardous waste in compliance with local and national regulations. Dispose of product residue in accordance with the instructions
	of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0

Revision Date 2018/11/30

Print Date 2018/11/30

IMDG-Code

Not regulated as a dangerous good

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:DSL::On the inventory, or in compliance with the inventory				
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
EINECS	:	On the inventory, or in compliance with the inventory		
	:	Labeling requirements under FIFRA This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced be- low. The pesticide label also includes other important infor- mation, including directions for use. CAUTION Keep out of reach of children. Avoid contact with eyes, skin, or clothing.		


CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0

SECTION 16. OTHER INFORMATION

Further information



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other	abbreviations
--------------------	---------------

ACGIH NIOSH REL OSHA P0		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA		8-hour time weighted average

AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level;

CIVITAS TURF DEFENSE ^{™/MC} Pre-M1xed

000003000245

Version 3.0

Revision Date 2018/11/30

Print Date 2018/11/30

NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For Copy of SDS	:	United States, telephone: 1-800-268-5850; fax: 1-800-201- 6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date	:	2018/11/30

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN